

V = viewed qll

S = scanned

| | Ref # | Hits | Search Text |
|----|-------|----------------------------------|--|
| 1 | S1 | 0 | healthcare with assess\$4 with manag\$4 with plan with (crisis or emergency or urgen\$4) |
| 2 | S2 | 1 | healthcare with assess\$4 with manag\$4 same plan same (crisis or emergency or urgen\$4) |
| 3 | S9 | 11469 ^S PH | healthcare with assess\$4 with manag\$4 same plan abd (crisis or emergency or urgen\$4) and wraparound |
| 4 | S10 | 0 | healthcare with assess\$4 with manag\$4 same plan and (crisis or emergency or urgen\$4) and wraparound |
| 5 | S11 | 1 V | healthcare with assess\$4 with manag\$4 same plan and (crisis or emergency or urgen\$4) |
| 6 | S12 | 1 Y | healthcare with assess\$4 same manag\$4 same plan and (crisis or emergency or urgen\$4) |
| 7 | S13 | 4 U | healthcare same assess\$4 same manag\$4 same plan and (crisis or emergency or urgen\$4) |
| 8 | S14 | 9 U | healthcare same assess\$4 same manag\$4 same plan |
| 9 | S15 | 0 | input with assess\$4 with data same healthcare same (plan or procedure or action) and (emergency or crisis) |
| 10 | S16 | 0 | input with assess\$4 with data same healthcare same (plan or procedure or action). |
| 11 | S17 | 3 V | input with assess\$4 with data same healthcare and (plan or procedure or action) |
| 12 | S18 | 63 U | (plan with healthcare) and ((input with data) same (assessment or patient or condition or symptom or vital)) |
| 13 | S19 | 1860385 ^S | accept with data with before display |
| 14 | S21 | 0 | accept with data with before with display same (authoriz\$4) |

| | DBs |
|-----------|--|
| 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 10 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text |
|----|-------|-------|--|
| 15 | S20 | 28 ✓ | accept with data with before with display |
| 16 | S22 | 217 ✓ | authoriz\$4 near4 before near4 (data or information) |
| 17 | S23 | 0 | authoriz\$4 near4 before near4 (data or information) with accept |
| 18 | S24 | 0 | authoriz\$4 near4 before near4 (data or information) same accept |
| 19 | S25 | 46 ✓ | S22 and ("705"/\$.ccls.) |
| 20 | S26 | 1 ✓ | authoriz\$4 near4 before near4 (data or information) near4 display\$4 |
| 21 | S27 | 2 ✓ | "6042005".pn. |
| 22 | S28 | 0 | "6484144".pn. and (eligibil\$4) |
| 23 | S29 | 0 | "6484144".pn. and (ineligibil\$6) |
| 24 | S30 | 4 ✓ | authorization with data with eligibility with healthcare |
| 25 | S31 | 10 ✓ | authorization with data with eligibility same healthcare |
| 26 | S32 | 15 ✓ | authorization with data with eligibility same (healthcare or insurance or servic\$4) |
| 27 | S33 | 62 ✓ | authorization with data with (eligibil\$6 or approval) same (healthcare or insurance or servic\$4) |
| 28 | S34 | 0 | (verif\$4 or determin\$4 or confirm\$4) with patient with (eligibilit\$5) |

| | DBs |
|-----------|--|
| 15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 28 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text |
|----|-------|-------|---|
| 29 | S35 | 155 ✓ | (verif\$4 or determin\$4 or confirm\$4) with patient with (eligibilit\$5) |
| 30 | S36 | 2 ✓ | "6343272".pn. |
| 31 | S37 | 2 U | "4750121".pn. |
| 32 | S38 | 3 ✓ | approv\$4 near2 (plan or data) near2 (prior or before) near2 (access\$4 or permit\$4 or allow\$4) |
| 33 | S39 | 0 | healthcare with invoice with accounting with receipts |
| 34 | S40 | 0 | healthcare same invoice with accounting with receipts |
| 35 | S41 | 0 | healthcare and invoice with accounting with receipts |
| 36 | S42 | 1 ✓ | healthcare and invoice same accounting same receipts |
| 37 | S43 | 2 ✓ | (705/2 or 705/3).ccls. and invoice same accounting same receipts |
| 38 | S44 | 11 ✓ | (705/2 or 705/3).ccls. and invoice same receipts |
| 39 | S45 | 2 | "5457792".pn. |
| 40 | S46 | 0 | "6484144".pn. and (crisis or emergency) |
| 41 | S47 | 2 ✓ | "6484144".pn. and (crisis or emergency or plan) |
| 42 | S48 | 1 ✓ | "6484144".pn. and (display\$4') |

| | DBs |
|-----------|--|
| 29 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 34 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 37 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 39 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 40 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 41 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 42 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text |
|----|-------|-------|--|
| 43 | S49 | 1 ✓ | "6484144".pn. and (display\$4) |
| 44 | S50 | 4 ✓ | (705/2 or 705/3).ccls. and (assign\$4 with task\$4 with provider\$4) |
| 45 | S51 | 14 ✓ | (705/2 or 705/3).ccls. and (assign\$4 with task\$4 same provider\$4) |
| 46 | S52 | 246 ✓ | assign with task with (professional or personnel or worker or person) |
| 47 | S53 | 4 ✓ | assign with task with (professional or personnel or worker or person) and (705/2 or 705/3) |
| 48 | S54 | 8 ✓ | assign with task with (professional or personnel or worker or person) and (705/2 or 705/3).ccls. |
| 49 | S55 | 75 ✓ | assign with task with (professional or personnel or worker or person) and ("705"/\$).ccls. |
| 50 | S56 | 1 ✓ | "5713856".pn. |
| 51 | S57 | 1 ✓ | "5768669".pn. |
| 52 | S58 | 2 ✓ | "5713856".pn. |
| 53 | S59 | 2 ✓ | "5768669".pn. |
| 54 | S60 | 3 ✓ | "5768669".pn. or "5713856".pn. and error |
| 55 | S61 | 1 ✓ | "5768669".pn. and error |
| 56 | S62 | 1 ✓ | "5788669".pn. and error |
| 57 | S63 | 3 ✓ | "5788669".pn. or "5713856".pn. and (scan\$4) |

| | DBs |
|-----------|--|
| 43 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 45 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 47 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 48 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 50 | USPAT |
| 51 | USPAT |
| 52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 54 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 55 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 57 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text |
|----|-------|--------|--|
| 58 | S64 | 134 ✓ | (provider or caregiver or professional or nurse or doctor or pharmacist or physician) same (database) same vital |
| 59 | S65 | 0 | S64 and (fee with authorized with access) |
| 60 | S66 | 2 ✓ | S64 and (fee same authorized same access) |
| 61 | S67 | 5 ✓ | database with (fee same authorized same access) |
| 62 | S68 | 80 ✓ | database same (fee same authorized same access) |
| 63 | S69 | 1 ✓ | "5772585".pn. and (login or logon or password or authorization or author\$4) |
| 64 | S70 | 1 ✓ | "5772585".pn. and (bill\$4) |
| 65 | S71 | 0 | "5772585".pn. and (search with find) |
| 66 | S72 | 1 ✓ | "5772585".pn. and (search\$4) |
| 67 | S73 | 0 | "5772585".pn. and (singal or wave) |
| 68 | S74 | 0 | "5772585".pn. and (signal or wave) |
| 69 | S75 | 2146 S | transmit\$4 with data with carrier with wave with signal |
| 70 | S76 | 54 ✓ | transmit\$4 with data with carrier with wave with signal with server |
| 71 | S77 | 0 | healthcare with database with link\$4 with articl\$4 |

| | DBs |
|-----------|--|
| 58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 59 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 60 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 61 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 62 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 63 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 64 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 65 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 66 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 67 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 68 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Ref # | Hits | Search Text |
|----|-------|--------|--|
| 72 | S78 | 0 | healthcare with database same link\$4 with articl\$4 |
| 73 | S79 | 1423 S | (condition or disease or sickness or medicine or prescription or illiness or treatment or therapy or diagnosis) same link\$4 with articl\$4 |
| 74 | S80 | 1434 } | (condition or disease or sickness or medicine or prescription or illiness or treatment or therapy or diagnosis or remedy) same link\$4 with articl\$4 |
| 75 | S81 | 534 S | (condition or disease or sickness or medicine or prescription or illiness or treatment or therapy or diagnosis or remedy) with link\$4 with articl\$4 |
| 76 | S82 | 57 ✓ | (condition or disease or sickness or medicine or prescription or illiness or treatment or therapy or diagnosis or remedy) with link\$4 near2 articl\$4 |
| 77 | S83 | 254 S | encrypt\$4 with patient with data |
| 78 | S84 | 0 | zip with code with locate with health with care with provider |
| 79 | S85 | 0 | encrypt\$4 with patient with data with website |
| 80 | S86 | 1 ✓ | encrypt\$4 with patient with data with vital |
| 81 | S87 | 14 ✓ | (zip with code with search) and (705/2 or 705/3).ccls. |
| 82 | S88 | 47 ✓ | (zip with code with search) same (provider or doctor or physician or pharmacy or healthcare or health) |

| | DBs |
|-----------|--|
| 72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 73 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 74 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 75 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 76 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 77 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 79 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 80 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 81 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 82 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |